Welcome to NASA Applied Remote Sensing Training (ARSET) Webinar Series

Introduction to NASA Earth Science Data Products, Portals, and Tools

Course Dates: 16, 23, 30 September and 7, 14 October 2014













ARSET

Applied Remote SEnsing Training
A project of NASA Applied Sciences



Important Information

Presentations URL:


http://arset.gsfc.nasa.gov/

Contact for Requesting Recorded Link for the Webinars:

Marines Martins: <u>marines.martins@ssaihq.com</u>

Past Presentations

http://arset.gsfc.nasa.gov/



Course Outline

Week 1



NASA Earth Science

Week 3



NASA Data Centers


Week 2



NASA Data Products

Week 4 &

& Week 5



NASA Data Applications with GIS
Disasters and Land Resource Management

Week 5 Outline NASA Data for Disasters and Land Resources Management

- Data, Websites, Tools
- Live Demonstrations of:
 - Global Flood Monitoring System (GFMS)
 - MODIS Inundation Mapping Tool (with GIS)
 - GEO-GLAM/Crop Monitor
 - LandsatLook

Weather & Climate



Water/Land Resources



Disasters

NATURAL DISASTERS










Drought >

Earthquakes >

Extreme Heat >

Floods >







Landslides & Debris Flow >



Severe Weather >



Space Weather >



Thunderstorms & Lightning >



Tornadoes >



Tsunamis >



Volcanoes >



Wildfires >



Winter Storms & Extreme Cold >

http://www.ready.gov

Disaster Management



Earthquake

Tsunamis

Volcanoes

Lightning

Wild Fire

Hurricanes

Extreme Rain/ Severe Weather

Live Demo

Flooding

Landslides

Drought





Satellites/Sensors for Disasters

Satellite	Sensors	Quantities (Disasters)
TRMM/ (GPM)*	Precipitation Radar (PR) /DPR TRMM Microwave Imager (TMI) /GMI Visible Infrared Scanner (VIRS) Lightening Imaging Sensor (LIS)	Rain Rate, Vertical Rain Rate Profile, Accumulated Rain, Soil Moisture (Extreme Rain, Floods, Drought, Tropical Cyclones, Lightening)
Terra and Aqua	MODerate Resolution Imaging Spectroradiometer (MODIS)	Snow Cover, Clouds, Reflectance, Vegetation Index, Land Cover (Inundation, Fire Detection, Volcanic Ash, Drought)
Aqua	Atmospheric Infrared Sounder (AIRS)	3-dimensional Atmospheric Temperature and Humidity, clouds (Extreme Weather, Storms, Extreme Heat)

^{*} Launched on February 27, 2014 with GPM Microwave Imager (GMI) and Dual Frequency Precipitation Radar (DPR)

Satellites/Sensors for Disasters

Satellite	Sensors	Quantities (Disasters)
Landsat	(Enhanced) Thematic Mapper (ETM)	Vegetation Index, Leaf Area Index, Land Cover (Drought, Fire)
Grace	K-Band Ranging Assembly	Terrestrial Water (Drought)
RadraSat, ENVISAT, ERS-1 and -2 Global Positioning Satellite	Synthetic Aperture Radar (SAR)	Crustal Deformation (Earthquakes, Tsunamis)
Terra	Advanced Spaceborne Thermal Emission and Reflection Radiometer (ASTER)	Surface Kinetic Temperature and Emissivity, Surface Radiance (VNIR,SWIR)*, Digital Elevation Model (Volcanoes, Floods)

^{*} Visible and Near Infrared (VNIR) and Shortwave Infrared (SWIR)

Earthquakes

http://solidearth.jpl.nasa.gov/



<u>Deformation, Ecosystem Structure, and Dynamics of Ice (DESDynl)</u>

Earth's surface and interior are undergoing a constant process of change. Variations in the ice sheets and land cover impact the climate and the environment. Violent events such as earthquakes, volcanic eruptions, landslides, and floods reshape the surface and pose significant hazards. DESDynI is a proposed dedicated U.S. InSAR and LIDAR mission optimized for studying hazards and global environmental change. http://desdyni.jpl.nasa.gov



Global Earthquake Satellite System (GESS) – future plan to build constellation to monitor fault systems

http://solidearth.jpl.nasa.gov/GESS/GESS Rep 2003 20 Yr Plan.pdf

Earthquakes

http://solidearth.jpl.nasa.gov/PAGES/quake04.html



Multiple Research-to-**Application Projects being** supported by NASA to map crustal deformation by using satellite data

NASA'S RESEARCH: EARTHQUAKES

CURRENT NASA PROJECTS:

A Neotectonic Map of the Earth: A Pilot Study of SRTM Data

Combined Analysis of Synthetic Aperture Radar (SAR) Interferometric and Global Positioning System(GPS) Data for Southern California Crustal Deformation Studies

Correcting Deformation Rates from the SCIGN Network for the Effects of Human-induced Ground Movements

Crustal Deformation and Earthquake Hazard in the Subduction Zones of Southern Alaska and the North Island of New Zealand

Demonstrating the Application of Space-borne Interferometric Synthetic Aperture Radar (InSAR) to the Detection and Monitoring of Subsidence Caused by

Click on the map above to see an animated map (3 MB) of cumulative global earthquake occurrences from 1960 through 1995. Earthquakes are shown as yellow dots. Credit: NASA/Goddard Space Flight Center Scientific Visualization Studio.

Ground-Water Pumping

Development of a Fully Three-Dimensional Model of Interacting Fault Systems for Interpretation of GPS and InSAR Observations

Earthquake Hazards in the Eastern Mediterranean


Example shown in the next slide

Earthquakes

http://www-radar.jpl.nasa.gov/insar4crust

Synthetic Aperture Radar (SAR) and Global Positioning Satellite (GPS) are used to map crustal deformation

SAR Satellites: RadraSat, ENVISAT, ERS-1 and -2



InSAR view of the Eastern California Shear Zone

From Gilles Peltzer , JPL, UCLA

Tsunamis

https://earthdata.nasa.gov/data/data-centers/cddis

Discover Data & Services

Data and Service Access Client Reverb

Dataset Directory GCMD

Search & Order Tools

EOSDIS Data Service Directory

Related Content

- Sizing a tsunami
- Where on Earth?
- Earth's crust in action
- A snag in space-time

Home

Crustal Dynamics Data Information System (CDDIS)





The CDDIS is NASA's data archive and information service supporting the international space geodesy community. CDDIS provides continuous, long term, public access to the data and derived products from a global network of observing stations equipped with one or more of the following measurement techniques:

- GNSS-Global Navigation Satellite System (GNSS),
- Satellite Laser Ranging (SLR),
- · Lunar Laser Ranging (LLR),
- · Very Long Baseline Interferometry (VLBI), and

atmospheric angular momentum, among others.

Doppler Orbitography and Radiopositioning Integrated by Satellite (DORIS).

The figure illustrates the global networks of geodetic sites which consist of 440 GNSS receivers, 44 laser ranging sites, 45 VLBI stations, and 58 DORIS sites and provides the means of

determining an accurate and global Terrestrial Reference Frame.

as well as products dervied from these data required for a variety of science observations, including the determination of a global terrestrial reference frame and geodetic studies in plate tectonics, earthquake displacements, volcano monitoring, Earth orientation, and

Users can access the data and products available through the CDDIS via anonymous ftp.



Courtesy: CDDIS

- Space Geodesy
- Solid Earth

Contact Information

Carey Noll, DAAC Manager Patrick Michael, Deputy DAAC Manager URL: http://cddis.gsfc.nasa.gov

FTP: ftp://cddis.gsfc.nasa.gov

Tsunamis


https://earthdata.nasa.gov/data/data-centers/cddis

Global Navigation Satellite Systems (GNSSs)

For more information

NASA Crustal Dynamics Data Information System (CDDIS)

NASA Global Differential GPS System (GDGPS)



About the CDDIS GNSS data and products archive

Global Navigation Satellite Systems (GNSSs), such as the U.S. GPS, the Russian GLONASS, and the European Galileo system, provide autonomous geo-spatial positioning with global coverage. Ground (or space-based) receivers collect the signals from orbiting satellites to determine their location in three dimensions and calculate precise time. These receivers detect, decode, and process both pseudorange (code) and phase transmitted by GNSS satellites.

Since 1992, the CDDIS has supported GNSS data and product archiving for the International GNSS Service (IG as one of four global data centers. In this capacity, the CDDIS provides online access to the GNSS data genera by the IGS network as well as the IGS standard, working group, and pilot project products derived from these data



GNSS receivers detect, decode, and process signals from the GNSS satellites (e.g., GPS, GLONASS, Galileo, BelDou, and others). The satellites transmit the ranging codes on two radio-frequency carriers, allowing the locations of GNSS receivers to be determined with varying degrees of accuracy, depending on the receiver and post-processing of the data.

References:

NASA Crustal Dynamics Data Information System. Updated daily. Global Navigation Satellite System (GNSS) Data Archive. Greenbelt, Maryland USA.

Song, Y. T. 2007. Detecting tsunami genesis and scales directly from coastal GPS stations. Geophysical Research Letters 34, doi: 10.1029/2007GLO31681.


Song, Y. T., I. Fukumori, C. K. Shum, and Y. Yi. 2012. Merging tsunamis of the 2011 Tohoku-Oki earthquake detected over the open ocean. Geophysical Research Letters 39. doi:10.1029/2011GL0050767

Tsunamis

https://earthdata.nasa.gov/data/data-centers/cddis

Data from GNSS/Global Positioning Satellite

Courtesy:
T. Song, 2007,
Geophysical
Research
Letters, 34,
doi:
10.1029/2007G
LO31681.




Pink arrows are the GPS displacement

GPS data used to detect tsunami severity and direction after an earthquake. Tested the technique for three historic earthquakes and predicted the resulting tsunamis: (a) the 2004 Indian Ocean tsunami two hours after the quake, (b) the 1964 Alaska tsunami two hours after the quake, and (c) the 2005 Nias tsunami one hour after the quake.

Volcanoes

http://ava.jpl.nasa.gov/




Recent Volcanic

Activities

USES ASTER VNIR, TIR to map Volcanoes


Terra/ASTER Image of Volcano Over New Zealand on October 8, 2014

http://ava.jpl.nasa.gov/



Lightning

http://thunder.msfc.nasa.gov/data/




Global Hydrology Climate Center (GHCC)

Lightning


http://thunder.nsstc.nasa.gov/lis/

The Lightning Imaging Sensor (LIS) on-board TRMM detects lightning over the tropics



Global Fire Detection (Terra & Aqua)


https://earthdata.nasa.gov/labs/worldview/



Hurricanes, Extreme Rain, and Flooding

Hurricane (Rainfall)


http://trmm.gsfc.nasa.gov/publications dir/multi resource tropical.html



Hurricane

http://trmm.gsfc.nasa.gov/publications_dir/multi_resource_tropical.html

TRMM tracks widespread rainfall associated with recent tropical systems



Recent Super Typhoon Vongfong near Japan seen from TRMM on 9th October 2014

THI DIA

TRMM Sees Intensifying Cyclone Hudhud


Friday, October 10, 2014

Recent Indian Ocean Cyclone Hudhud seen from TRMM on 10th October 2014

Hurricane

http://www.nasa.gov/mission_pages/hurricanes/main/index.html#.VDdGgedDSIQ

Hurricanes and Cyclones Observed by Different NASA Missions



Global Disaster Alert and Coordination System (GDACS)

http://www.gdacs.org

Earthquakes, Floods, Tropical Cyclones



TRMM rainfall and hurricane information used operationally, in addition to other products, by GDACS

Tropical Rainfall Measuring Mission (TRMM)-based Flooding Tools

TRMM Current Heavy Rain, Flood and Landslide Estimation

http://trmm.gsfc.nasa.gov/publications_dir/potential_flood_hydro.html


Global Flood Monitoring System (GFMS)

http://flood.umd.edu/

These tools use TRMM near-real time rainfall as input to hydrology models to diagnose flooding conditions

Extreme Rain, Landslide, and Flooding


http://trmm.gsfc.nasa.gov/publications dir/potential flood hydro.html



Can Zoom-in to any region

Can be Viewed in Google Earth


24-hour Forecast based on NOAA and NASA forecast models available





Global Flood Monitoring System (GFMS)

http://flood.umd.edu




CEMS date (only Flood Detection/Intensity for new) are evallable from home

Provides global maps, time series, animation (50°S-50°N) of:

- Instantaneous Rain
- Accumulated rain over 24, 72, and 168 hours
- Stream flow rates and flood detection at 1/8th degree (~12 km) spatial resolution

Global Flood Monitoring System (GFMS)

http://flood.umd.edu



- Inputs: TRMM and Multi-satellite Precipitation (TMPA) Surface temperature and winds from MERRA
- Runoff generation from U. Washington Land Surface Model (Variable Infiltration Capacity)
- Runoff routing model from U. Maryland



Dartmouth Flood Observatory

http://floodobservatory.colorado.edu/

<u>Home</u>

Active Archive of Large Floods, 1985-Present

> • Global and Regional Analyses


Master Index of Inundation Maps

The Surface Water Record

River Watch

Other Flood
Detection
Tools

Sample Images and Maps




MODIS data are used to map inundation

Experimental, River Discharge available from satellite (aqua, TRMM, GCOM-W) data


MODIS Inundation Mapping

http://oas.gsfc.nasa.gov/floodmap/



MODIS Inundation Mapping

http://oas.gsfc.nasa.gov/floodmap/



Severe Flooding in Bolivia

January-March 2014



4 February 2014 Last updated at 07:27 ET



Bolivia: 29 killed in torrential rains so far this year



Cochabamba is among the provinces worst hit by the heavy rains

Officials in Bolivia say the number of people who have died due to torrential rain since the beginning of the year has risen to 29

Related Stories



Bolivia floods kill 38, more heavy rains forecast



2 OF 2. Women disembark from a helicopter after being rescued from their flooded homes, in Trinidad, some 400 km (249 miles) northeast of La Paz February 5, 2014.

Live Demo: GFMS and MODIS Inundation Tool Importing MODIS Surface Water Data in GIS

Ecological Forecasting





(Photograph ©2006 Stefan Gara,





July 20, 2000 August 21, 2009

Ecological Forecasting

Ecological Forecasts using Satellite data products and models



To identify disturbances that threaten the extent and function of ecosystems

Ecosystem Management by policy and decision makers

Land Management Issues

- Growing populations
- Less natural resources
- Changing climate
- Urban growth



Source: www.icid.org




- Habitat loss
- Declining biodiversity
- Invasive species
- Desertification
- Deforestation



Source: naturemappingfoundation.org

Monitoring Ecosystem Change

- NASA Earth science questions with respect to ecosystems:
 - How are global ecosystems changing in extent and function?
 - How do ecosystems respond to and affect global environmental change and the carbon cycle?



Climate change:

- Although climate change is a global phenomenon....
- The effects of climate change on ecosystems are local and heterogeneous






NASA Satellite Instruments for Land Resources Management

Satellite	Sensor(s)	Applications
Landsat (4, 5, 7, 8; LDCM)	Landsat TM, ETM+, Operational Land Imager (OLI), Thermal Infrared Sensor (TIRS)	Agricultural Efficiency, Carbon Cycle, Coastal Management, Ecological Forecasting, Invasive Species Monitoring
Terra, Aqua	MODerate Resolution Imaging Spectroradiometer (MODIS)	Agricultural Efficiency, Carbon Management, Ecological Forecasting, Coastal Management
EO-1	Hyperion, Advanced Land Imager (ALI)	Agricultural Efficiency, Carbon Management, Ecological Forecasting, Coastal Management
Suomi NPP	Visible Infrared Imager Radiometer Suite (VIIRS)	Carbon Cycle, Ecosystems, and Biogeochemistry, Climate Variability and Change

Monitoring Ecosystem Change with Satellite Imagery


- ➤ Identify Landsat derived land cover
- ➤ Monitor change over time



http://www.mrlc.gov/nlcd2011.php

Source: NASA Earth

While land cover can be observed on the ground or by airplane, the most efficient way to map it is from space.



Urban growth from 1976, 1989 to 2004 in Jakarta, Indonesia

Land Cover Change Detection by Satellites can be Applied to:

- Deforestation assessments
- Vegetation phenology by vegetation indices
- Monitor urban growth
- Forest disturbance assessments
- Invasive species monitoring
- Land Cover identification
- Ecological restoration
- Habitat suitability assessments






Bark beetle infestation in Colorado between 2005 and 2011

Source: earthobservatory.nasa.gov

Satellite Data Applications: Species Conservation and Habitat Suitability

Northwest Colombia

- Cotton-top tamarin
- Critically Endangered (IUCN)
- Deforestation, urbanization
- Landsat imagery and land cover
- Historical range versus current and projected land use, land cover
- Proposed areas for restoration, preservation, habitat corridors



By DEVELOP, posted on August 3rd, 2014 in DEVELOP Summer 2014 VPS

Project Team: Colombia Ecological Forecasting Team

Team Location: University of Georgia, Athens, Georgia

Ecosystem Function and Services

Provisioning Services

- food
- wood
- fuel
- freshwater
- medicines

habitat for biodiversity



http://devoteddads.files.wordpress.com/2007/10/treeroots.jpg

Regulating Services

- air quality regulation
- water filtration
- prevents coastal erosion
- carbon sequestration
- nutrient cycling
- pollination



http://www.environmentmagazine.org/sebin/v/x/ecosystem-photo2.jpg

Remote Sensing Applications: Ecosystem Function and Services


Carbon Sequestration

 MODIS Leaf Area Index and Net Primary Production

Coastal protection, Biodiversity

- Landsat, MODIS imagery and land cover maps
- Sea surface temperature







Ecosystem Forecasting can be Applied to Global Conservation Initiatives

REDD + activities

Habitat Suitability, Species Conservation

Ecosystem Risk Assessments

Climate Change Forecasting/ Mitigation

Ecosystem Service Accounting

Ecosystem Restoration













Where to Obtain MODIS Land Products


- ECHO Reverb http://reverb.echo.nasa.gov
- Data Subsetting and Visualization: Oakridge National Lab DAAC (ORNL DAAC) http://daac.ornl.gov
- GLCF http://www.landcover.org/data/lc
- GLOVIS http://glovis.usgs.gov
- Visualization: SERVIR
 https://www.servirglobal.net/Global/MapsData/InteractiveMapper.aspx

Where to Obtain Landsat Images


The LandsatLook Viewer http://landsatlook.usgs.gov/



Global Land Cover Facility http://glcfapp.glcf.umd.edu



GloVis http://glovis.usgs.gov



Earth Explorer http://



Agriculture

Satellite Data can be applied to agriculture:

- For sustainable and productive agricultural practices and increased food security
- To assess water availability and drought forecasting
- Application of vegetation indices, soil moisture and rainfall data for
 - increased crop yields, soil conservation



Types of Drought



Meteorological Drought: Deficient rainfall over specific period



Agricultural Drought: precipitation shortages resulting in soil moisture deficits, reduced vegetation/crop.

Hydrological Drought: depletion of surface or subsurface water supply i.e., streamflow, reservoir and lake levels, groundwater.

Agricultural Applications of NASA Data Products

➤ Health of crops, monitor stages of growth (phenology), potential yield, soil conditions, invasive species or stress extent

➤ Direct humanitarian efforts due to forecasted drought

Data products:

Landsat imagery Soil Moisture

MODIS NDVI/EVI Evapotranspiration

TRMM rainfall rates

Satellite	Sensor(s)
TRMM	TMI, PR
Landsat 7	Landsat ETM+
Landsat 8 (LDCM)	Operational Land Imager (OLI), Thermal Infrared Sensor (TIRS)
Terra, Aqua	MODerate Resolution Imaging Spectroradiom eter (MODIS)
Terra	ASTER
EO-1	Hyperion, Advanced Land Imager (ALI)
Suomi NPP	VIIRS

MODIS Land Products: Vegetation Indices


- ➤ NDVI (Normalized Difference Vegetation Index): Ratio between the red and the Near-Infrared bands
- ➤ EVI (Enhanced Vegetation Index):
 Addition of the blue band to account for atmosphere
- ➤ Used for: drought monitoring, phenology (timing of vegetation green-up)

Vegetation index data demonstrates part of the seasonal cycle in the contiguous US during the first half of 2001

Credit: NASA/GSFC/University of Arizona









NDVI (Vegetation Index) to monitor crop health

- Comparing the NDVI (or greenness) of crops can assist in determining irrigation plans and precision farming
- To determine that the locations of stress on crops (lack of water, soil moisture, insects, disease)
- NDVI and surface temperature data information to inform next year planting practices
- Hindcast, or use past observations to determine best practices



Landsat Imagery



http://www.nasa.gov/mission_pages/landsat/news/sweet-spot_prt.htm

- To determine proper crop location, irrigation needs, placement of fertilizer
- Landsat Band Combination: 4-3-2 (near infrared, red, and green bands)
- Maximize yields

Agricultural Drought

Krishna River Basin, India


Satellite data:

Landsat Enhanced Thematic Mapper (ETM) Imagery

Terra ASTER DEM (elevation)

Soil moisture, precipitation

Combined with drainage density and soil type layers in GIS can be used to create drought vulnerability maps



Sreedhar et al., 2012

Data Access and Portals for download and Visualization

Giovanni (http://disc.sci.gsfc.nasa.gov/giovanni)

soil moisture, evapotranspiration, rainfall rate, runoff, snowmelt

<u>LP DAAC, ONRL DAAC, LandsatLook Viewer (https://lpdaac.usgs.gov/, http://daac.ornl.gov/, http://daac.ornl.gov/</u>, http://

net primary production, EVI/NDVI, Landsat Spectral Bands

Global Agriculture Monitoring (GLAM) Project

(http://pekko.geog.umd.edu/usda/beta/)

Crop Explorer (http://www.pecad.fas.usda.gov/cropexplorer/)


SERVIR Global (https://www.servirglobal.net/)

Live Demonstration of:

- > GEO-GLAM/Crop Monitor
- > LandsatLook

Summary of the Webinar

Introduction to NASA Earth Science Data Products, Portals, and Tools



A lot of introductory information and overview of data and tools in five 1-hour sessions!

We used many acronyms!

Acronym Directory:

http://gcmd.gsfc.nasa.gov/learn/faqs/acronyms.html

Week-1: (http://science.nasa.gov/earth-science/

NASA Earth Science: Climate System Research

Technology Development → Many Satellite

Missions, Earth System Models

Applications for Societal Benefits

Capacity Building and Trainings, About ARSET

Week-2: (Global Change Master Directory)

http://gcmd.gsfc.nasa.gov/index.html

Data for Environmental Applications: (Products, Sources, Attributes, Data Search)

Air Quality

Disasters

Eco-forecasting and Land Management

Water Resources




Week-3: https://earthdata.nasa.gov/

NASA's Earth Observing System Data and Information System (EOSDIS)

NASA Data Centers, Data Access, Analysis, Visualization Tools

12 Data Centers



Near-real Time Data Access and Visualization Tools

LANCE Worldview Reverb-ECHO

Remote Sensing and Modell Data Archive

Mirador
Giovanni
NSIDC
CALIPSO Search and Subsetting
LAADS Web
USGS – LP DAAC, EarthExplorer, GloVIS
ORNL
PO DAAC Data Discovery



Week-4 & 5:

Data Products, Tools, Applications, Live Demo including GIS Applications for:

Air Quality, Water Resources, Disasters, Eco Forecasting/Land Management

Satellites: Terra, Aqua, TRMM and GPM, Landsat, GRACE, CALIPSO

Models: MERRA, GLDAS, NLDAS

Live Demo: Worldview (air Quality), Giovanni and GIS (Water Resources), GFMS, MODIS Inundation Mapping (Disasters), Crop Explorer/GEO-GLAM, LandsatLook (Eco Forecasting and Land Management)



To Conclude ---

> NASA DATA ARE FREE!

Advanced training courses can be requested for specific applications and geographic regions from http://arset.gsfc.nasa.gov/training or by contacting ARSET personnel

ARSET Contact Information

ARSET Program: Ana Prados <u>Ana.I.Prados@nasa.gov</u>

Air Quality: Pawan Gupta <u>pawan.gupta@nasa.gov</u>

Disasters (Extreme Weather, Flooding): Amita Mehta amita.v.mehta@nasa.gov

Eco Forecasting/Land Management: Cynthia Schmidt <u>cynthia.l.schmidt@nasa.gov</u>

Train the Trainers: Brock Blevins <u>bblevins37@gmail.com</u>

Water Resources: Brock Blevins/Amita Mehta (As Above)

Thank You!